

APPLICATIONS GUIDE



MUSEO® ENHANCE™ Clear Coat Solution

PRODUCT APPLICATION GUIDE

Museo® ENHANCE™ Water-Based Protection is a cost effective liquid laminate that protects water resistant canvases and inks from UV exposure, abrasion, marring, chemicals and water.

The match component set of Museo® Enhance™ and Museo® Artistry™ Canvas or Magiclee™ Torino 17M Canvas, guarantees archivability of the finished product for 100+ years*. The match component sets have been tested for image stability at the Image Permanence Institute at Rochester Institute of Technology under cool fluorescent light, 50 lux*.

| Printer Ink | Image Stability |
|----------------------------|-----------------|
| Canon® IPF 8000Lucia | 102+ years* |
| Epson® 9800 UltraChrome K3 | 89+ years* |

ENHANCE™ top coat offers superior image stability for digital fine art and photo applications and is available in three finishes: Glossy, Satin and Matte.

APPLICATION GUIDELINES:

Compatibility: For guaranteed achivability of 100+ years*, use one of the two match component sets mentioned above. Museo® ENHANCE top coat solution is also compatible with most water resistant canvases and micro-porous inkjet receptive substrates.

What you will need:

- High-density foam roller or a short nap roller with no more than 3/16" nap.
- Pan for liquid laminate.
- Cardboard or flat surface to roll off excess liquid. (Using a pan with grooves to load the roller may transfer the grooved pattern to image).
- Covered work table

Application:

- Please allow the print to dry thoroughly before applying the Enhance Protection.
- Allow ENHANCE™ to equilibrate to room temperature. Optimum coating conditions are 50%RH / 70 degrees F.
- Saturate the roller, but remove excess fluid so it is not dripping off the roller.
- Apply one thin, even coat, moving from one side of the canvas to the other.
- Allow to dry about 30 minutes to 1 hour.
- Apply a second thin to medium even coat, moving from side to side.
- Allow to thoroughly dry.

Clean rollers and pan quickly using warm soapy water.
Rinse with clean water.
Pretest new canvas, inks & profiles for compatibility.

